| <u>Physica</u>  | ll/Occupational Therapy Prescript | <u>ion</u> |       |           |
|---|-----------------------------------|------------|-------|-----------|
| Name:_  |                                   |            | Date  | of Birth: |
| Diagnos   | sis: <u>Adhesive Capsulitis</u>   | Code:      | M75.0 | 0         |
| Instruct  | tions:                            |            |       |           |
| <ul> <li>Range of Motion: <ul> <li>Please focus on increasing range of motion, with a focus on forward elevation, adducted external rotation, and adducted internal rotation.</li> <li>When working on flexion please block scapulothoracic and emphasize glenohumeral motion.</li> <li>No range of motion limitations.</li> <li>Mild discomfort while pressing into end-ranges is ok, but frank pain is not.</li> <li>Begin gently and progress as tolerated.</li> </ul> </li> </ul> |                                   |            |       |           |
| <ul> <li>Ok incorporate active range of motion and strengthening per therapist's preference, with no specific limitations. However, focus upon motion and not upon strengthening.</li> </ul>  |                                   |            |       |           |
| <ul> <li>Home exercise program:</li> <li>Please provide with a home exercise program including table slides, wall climbs, cane exercises, and sleeper stretches, to be performed 3-4 times per day.</li> </ul>  |                                   |            |       |           |
| <ul> <li>Modalities:</li> <li>Heat, massage, and pain medications before exercises and ice after.</li> <li>Remaining modalities per therapist's preference.</li> <li>Please apply modalities with the arm at end-ranges of motion, not in neutral-adduction.</li> </ul>   |                                   |            |       |           |
| Frequen   | ncy: 1-2 times/week               | Dura       | tion  | 6 Weeks   |
|   |                                   |            |       |           |

Signature: \_\_\_\_\_\_Date: \_\_\_